



HRC-P6500C

24

360

24

3km—30km

IP67

180

1.

24

2.

3.

4.

5.

6. IP

7.

8.

GIS

9.

PTZ

10.

IP67

11.

12.

13.

14.

	1/3" 1/2.8 1/2" 1/1.8" 1/1.7" CMOS/CCD
	130 /200 /300 /500 /600 /4K
	:0.002 Lux @ (F1.2,AGC ON) :0.0002Lux @ (F1.2,AGC ON)
	ICR
	/ / / / / / / /
	10-330/10-360/10-400/15.6-500/12.5-750/12.5-775/12.5-1250mm
	/
	8-14μm
	384x288 640x480
	25mm/50mm/75mm/100mm//150mm/180mm/200mm/250mm 25/75mm, 25/100mm , 15/120mm 30/150mm,50/150mm,44/176mm 25- 75mm 25- 100mm 15- 120mm 30- 150mm 44- 176mm
	13
	50kg

		360°                      -45° 45°
		0.01°/s    30°/s            0.01°/s    17°/s
		256
	IP	
		32
		4                                      10
		RS-422/RS-485
		PELCO-D
		DC24V / AC24V
		-45    70
		45Kg
		100W                      150W
		IP67
	657(L)x378(W)x610(H)	



C 13

0755-86518800 0755-86518855

13922881698

QQ 76024879

sales@huaruicom.com

www.huaruicom.com



13922881698  
18665360602

13538144380  
13538144385

13632702323

13538144385

15104440003

18823877073