


HRC-P6500



HRC-P6500

24

360

24

3km—

30km

IP67

150

1.

24

2.

3.

4.

5.

6. IP

7.

8.

GIS

9.

PTZ


10.

IP67

- 11.
- 12.
- 13.
- 14.

		HRC-P6500
		1/3" 1/2.8 1/2" 1/1.8" 1/1.7" CMOS/CCD
		130 /200 /300 /500 /600 /4K
		:0.002 Lux @ (F1.2,AGC ON) :0.0002Lux @ (F1.2,AGC ON)
		ICR
		/ / / / / / / / / / / / / / / / / /
		10-330/10-360/10-400/15.6-500/12.5-750/12.5-775/12.5-1250mm
		/
		8-14µm
		384x288 640x480
		25mm/50mm/75mm/100mm//150mm/180mm/200mm/250mm 25/75mm, 25/100mm , 15/120mm 30/150mm,50/150mm,44/176mm 25- 75mm 25- 100mm 15- 120mm 30- 150mm 44- 176mm
		13
		50kg

		HRC-P6500
		360° -45° 45°
		0.01°/s 30°/s 0.01°/s 17°/s
		256
	IP	
		32
		4 10
		RS-422/RS-485
		PELCO-D
		DC24V / AC24V
		-45 70
		45Kg
		100W 150W
		IP67
	657(L)x378(W)x610(H)	



C 13

0755-86518800 0755-86518855

13922881698

QQ 76024879

sales@ huaruicom.com

www.huaruicom.com



13922881698
18665360602

13538144380
13538144385

13632702323

13538144385

15104440003

18823877073